ELSEVIER

Volume 200, Issues 1–3, 8 May 2008

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Contents

Experimental evaluation of strains in the tension–compression using a new tool geometry, X-Die 1
A. Andersson, P. Thilderkvist, M. Liljengren

Fabrication of metal matrix composites by metal injection molding—A review 12
H. Ye, X.Y. Liu, H. Hong

Modelling of the residual state of friction stir welded plates 25
A. Bastier, M.H. Maitournam, F. Roger, K. Dang Van

High-power low-frequency ultrasound: A review of tissue dissection and ablation in medicine and surgery 38
B.J. O'Daly, E. Morris, G.P. Gavin, J.M. O'Byrne, G.B. McGuinness

Application of the structured illumination method for automated visual inspection of the loudspeaker cones 59
C.W. Liao, J.C. Su, Y.R. Lin, Y.S. Tarng

Numerical damage prediction in deep-drawing of sheet metals 71
M. Khelifa, M. Oudjene

Influence of texture and grain structure on strain localisation and formability for AlMgSi alloys 77
K.O. Pedersen, O.-G. Lademo, T. Berstad, T. Furu, O.S. Hopperstad

A three-dimensional model of the wire-arc spray process and its experimental validation 94
R. Bolot, M.-P. Planche, H. Liao, C. Coddet

Properties of copper matrix reinforced with various size and amount of Al_2O_3 particles 106
V. Rajkovic, D. Bozic, M.T. Jovanovic

Structural modifications of M35 steel submitted to thermal gradients in plasma reactor 115
N.K.A.M. Galvão, B.L.S. Costa, M.W.D. Mendes, R.A. de Brito, C.F. Souza Jr., C. Alves Jr.

DOE applied to optimization of aluminum alloy die castings 120
G.O. Verran, R.P.K. Mendes, L.V.O.D. Valentina

Toughened ZrO_2 ceramics sintered with a La_2O_3-rich glass as additive 126
C. Santos, R.C. Souza, N. Almeida, F.A. Almeida, R.R.F. Silva, M.H.F.V. Fernandes

A comprehensive study of plastic deformation mechanism of the metallic materials by 'X-ray' computed tomography ('X-ray' CT) 133
E. Bayraktar, M.A. Gonzalez Garza, C. Bathias

Prediction of martensite and austenite start temperatures of the Fe-based shape memory alloys by artificial neural networks 146
O. Eyercioglu, E. Kanca, M. Pala, E. Ozbay

Thin film of bis(ethylenedithio)-tetrathiafulvalene radical salt with Dawson polyoxometalate 153
H. Ma, J. Peng, X. Gu, Z. Ding

Study on the microfabrication technique by femtosecond laser two-photon photopolymerization 158
M. Zhou, H.F. Yang, J.J. Kong, F. Yan, L. Cai

Influences of tool pin profile and welding speed on the formation of friction stir processing zone in AA2219 aluminium alloy 163
K. Elangovan, V. Balasubramanian

(Contents continued on page I)

0924-0136(20080508)200:1/3;1-G

(Contents continued from OBC)

The effect of using a sprung stripper in sheet metal cutting 176
G.J.A. Bing, J. Wallbank

FE analysis of metal flow and weld seam formation in a porthole die during the extrusion of a magnesium alloy into a square tube and the effect of ram speed on weld strength 185
G. Liu, J. Zhou, J. Duszczyk

Effects of particle size of 8 mol% Y_2O_3 stabilized ZrO_2 (YSZ) and additive Ta_2O_5 on the phase composition and the microstructure of sintered YSZ electrolyte 199
H. Zhao, X. Li, F. Ju, U. Pal

Finite element analysis of thermal stress in magnetron sputtered Ti coating 205
V. Chawla, R. Jayaganthan, R. Chandra

Fuzzy rule-based prediction of hardness for sintered HSS components 212
D. Chatterjee, G. Sutradhar, B. Oraon

Mechanical properties of polymer films used in in-mould decoration 221
C.O. Phillips, T.C. Claypole, D.T. Gethin

Effect of moisture content on extrusion process of kaolinitic–illitic clay in manufacturing of ceramic Raschig ring 232
M. Salehi, A. Salem

An efficient thermal analysis for the prediction of minimum film thickness in inlet zone at high speed lubricated cold strip rolling 238
P. Singh, R.K. Pandey, Y. Nath

Electrical discharge machining using simple and powder-mixed dielectric: The effect of the electrode area in the surface roughness and topography 250
P. Peças, E. Henriques

Microinjection moulding of 316L/17-4PH and 316L/Fe powders for fabrication of magnetic–nonmagnetic bimetals 259
P. Imgrund, A. Rota, A. Simchi

Preparation of geopolymer from fluidized bed combustion bottom ash 265
R. Slavik, V. Bednarik, M. Vondruska, A. Nemec

Prediction of surface roughness profiles for milled surfaces using an artificial neural network and fractal geometry approach 271
I.A. El-Sonbaty, U.A. Khashaba, A.I. Selmy, A.I. Ali

Fabrication of nickel aluminide intermetallic-alumina nanocomposite via reaction synthesis 279
R. Ismail, I.I. Yaacob

Experimental investigation on flow-forming of AA6061 alloy—A Taguchi approach 283
M.J. Davidson, K. Balasubramanian, G.R.N. Tagore

Experimental and numerical study of machined aluminum tailor-made blanks 288
A.A. Zadpoor, J. Sinke, R. Benedictus

Prediction of bead geometry in pulsed GMA welding using back propagation neural network 300
K. Manikya Kanti, P. Srinivasa Rao

Three-body abrasive wear behaviour of particulate-filled glass–vinyl ester composites 306
B. Suresha, G. Chandramohan

Synthesis of nanocrystalline NiAl by mechanical alloying 312
M.H. Enayati, F. Karimzadeh, S.Z. Anvari

Pearlite determination in plain carbon steel by eddy current method 316
S.H. Khan, F. Ali, A.N. Khan, M.A. Iqbal

Physical–mechanical, superconducting, thermo-physical properties and interphase phenomena of polymer–ceramic nano-composites 319
S.P. Davtyan, A.O. Tonoyan, C. Schick, A.A. Tataryan, A.G. Sargsyan

A study on the cross-sectional profile of flat rolled wire 325
M. Kazeminezhad, A. Karimi Taheri, A. Kiet Tieu

Shear and elongational flow properties of thermoplastic polyvinyl alcohol melts with different plasticizer contents and degrees of polymerization 331
C.-A. Lin, T.-H. Ku

Studies on minimum quantity lubrication (MQL) and air cooling at drilling 339
B. Tasdelen, T. Wikblom, S. Ekered

Evolutionary programming method for modeling the EDM parameters for roughness 347
Ö. Salman, M.C. Kayacan

Cutting process of glass with inclined ball end mill 356
T. Matsumura, T. Ono

Effect of welding parameters on mechanical and microstructural properties of AA6082 joints produced by friction stir welding 364
P. Cavaliere, A. Squillace, F. Panella

Optimizing power consumption for CNC turned parts using response surface methodology and Taguchi's technique—A comparative analysis 373
A. Aggarwal, H. Singh, P. Kumar, M. Singh

Hybrids for finishing cotton fabric with durable handle performance 385
N.A. Ibrahim, M.H. Abo-Shosha, H.M. Fahmy, Z.M. El-sayed, A.A. Hebeish

Micro-machinability of monocrystal silicon by direct etching using excimer laser 390
W. Yuan, B. Ma

Development and implementation of a magnetoplasmadynamic thruster for welding and cutting 398
I.G. Machado, R.T. Lermen

White anodized thermal control coating on LY12 aluminum alloy 405
W. Xiaohong, Q. Wei, C. Bo, J. Zhaohua, L. Weiqiang, H. Weidong

Study of microstructure, phases and microhardness of metallic coatings deposited by flame thermal spray 410
M.A. Bradai, N. Bounar, A. Benabbas, A. Ati

Numerical simulation and analysis on the deep drawing of LPG bottles 416
R. Padmanabhan, M.C. Oliveira, J.L. Alves, L.F. Menezes

Tool life and surface integrity aspects when drilling and hole making in Inconel 718 424
A.R.C. Sharman, A. Amarasinghe, K. Ridgway

Reaction synthesis of Ni/Ni_3Al multilayer composites using Ni and Al foils: High-temperature tensile properties and deformation behaviour 433
H. Wang, J. Han, S. Du, D.O. Northwood

Processing and properties of ultrafine-grain aluminium alloy 6111 sheet 441
R. Lapovok, I. Timokhina, P.W.J. McKenzie, R. O'Donnell

Analysis of wear in deep-drawing process of a cylindrical cup 451
A.R. Shahani, I. Salehinia

On the mechanism of material removal in electrochemical spark machining of quartz under different polarity conditions 460
V.K. Jain, S. Adhikary

Identification and evaluation of modification level for compacted graphite cast iron 471
X.J. Sun, Y.X. Li, X. Chen

Author index 481

Subject index 483